NOVA

NOVA

SPOTLIGHT

LAST UPDATE: 24-06-2025




The NOVA projector is designed for convenient mounting on the ground or wall. Its small dimensions make it suitable for illuminating small plants and trees, as well as small signboards and architectural works. The projector is most effective when used to illuminate objects at short to medium distances. The twist-locked cover makes lamp installation easy. The projector is available in two voltage options: low voltage [GU5.3 socket] and main voltage [GU10 socket].

Technical Data



Ordering Code : 5905-0-2-221-XX Lamp : Led Retrofit QPAR51 Socket GU10 CCT : 2700-6500 K 4-7 W Lamp Wattage : Ambient Temperature : 25°C Controller : On-Off 220-240Vac 50/60Hz Input Voltage : Net Weight : – kg.



ICon definition

*Due to the constancy of product development, we reserve the right to alter all specification without prior notice. Unilamp Co., Ltd. 461 Ramintra Road, Kannayao, Bangkok 10230 Thailand Tel : +66[0]2 943 2420-1, +66[0]2 946 4170-1 Fax : +66[0]2 943 2419 online@unilamp.co.th www.unilamp.co.th

NOVA

NOVA SPOTLIGHT

Unilamp

LAST UPDATE: 24-06-2025

Specification


IEC Standard


	IEC 60598-2-1 Fixed Luminaires
Protection	IP54 Class I
Luminaires Body Housing	High-pressure Die Cast Aluminum alloy body and components.
Coating Process	UV stablized polyester powder coat.
Diffuser	Tempered safety glass cover
Gasket	Durable silicone gasket
External Screws	External screws made of stainless steel
Lamp Holder	GU10 lampholder
Pre-Wire Cable	Pre-wired with 3x0.75mm. cable
Caution	Installation work has to be carried on according to the enclosed installation manual.
Color	Black 01 Graphite 02 Dark Grey 03 Aluminum Silver 04

IEC 60598-1 General Requirement

White 06









NOVA SPOTLIGHT

LAST UPDATE: 24-06-2025

Accessories



Ordering Code: AUN-TRS-0033-00 Tree strap.