

# PT-003

PT-003


POLE MOUNTED LIGHT

 **Unilamp**

LAST UPDATE: 01-04-2026



PT-003 is a outdoor luminaire with a clean, timeless design and simple, crisp lines. Its distinctive circular shape serves as a functional architectural feature, enhancing urban areas, walkways, parks, plazas, and communal spaces. PT-003 delivers uniform, reliable illumination, ideal for pedestrian paths, bike lanes, and public areas.



## Technical Data



Ordering Code :	7704-0-3-500-XX
Lamp :	Led Retrofit E27
CCT :	6500 K
Lamp Lumen :	2160 lm
Lamp Wattage :	24 W
Ambient Temperature :	25°C
Controller :	On-Off
Input Voltage :	220-240Vac 50/60Hz
Net Weight :	- kg.

### Ordering code guide

XXXX-X-X-XXX-XX  
A B C D E

- A Product Code
- B Reflector
- C Electrical Component
- D Lamp
- E Color



Icon definition

\*Due to the constancy of product development, we reserve the right to alter all specification without prior notice.

Unilamp Co., Ltd.  
461 Ramintra Road, Kannayao, Bangkok 10230 Thailand  
Tel : +66(O)2 943 2420-1, +66(O)2 946 4170-1  
Fax : +66(O)2 943 2419  
online@unilamp.co.th  
www.unilamp.co.th

# PT-003


## PT-003

### POLE MOUNTED LIGHT





LAST UPDATE: 01-04-2026

#### Specification

IEC Standard	IEC 60598-1 General Requirement IEC 60598-2-1 Fixed Luminaires
Protection	IP54 Class I
Luminaires Body Housing	Optimized spun aluminum alloy for lightweight strength. Premium high-strength cast aluminum component for durability and performance. Durable high-pressure die-cast aluminum alloy for excellent mechanical performance. Extruded 6063 aluminum body with minimal copper content for corrosion resistance.
Coating Process	Durable UV-resistant polyester powder coat for outdoor applications.
Diffuser	Impact-resistant vandal-proof polycarbonate diffuser for durability.
Gasket	High-durability silicone gasket for long-lasting sealing performance.
External Screws	Durable stainless steel screws with anti-corrosion grease for extended lifespan.
Led	Premium LED module with top-tier chips, mounted on MCPCB for heat efficiency.
Pre-Wire Cable	Certified pre-wired 3x0.75 sqmm cable, featuring H05RN-F neoprene insulation.
Caution	Installation must be performed as per the provided installation instructions.
Color	 Black O1 Graphite O2 Dark Grey O3 Aluminum Silver O4 White O6

#### Light Distribution



\*Due to the constancy of product development, we reserve the right to alter all specification without prior notice.

Unilamp Co., Ltd.  
461 Ramintra Road, Kannayao, Bangkok 10230 Thailand  
Tel : +66(0)2 943 2420-1, +66(0)2 946 4170-1  
Fax : +66(0)2 943 2419  
online@unilamp.co.th  
www.unilamp.co.th

# PT-003

PT-003

POLE MOUNTED LIGHT

 **Unilamp**

LAST UPDATE: 01-04-2026

## Accessories



Ordering Code:

AUN-ACB-0013-00

Anchor bolt kit

\*Due to the constancy of product development,  
we reserve the right to alter all specification  
without prior notice.

---

Unilamp Co., Ltd.  
461 Ramintra Road, Kannayao, Bangkok 10230 Thailand  
Tel : +66(0)2 943 2420-1, +66(0)2 946 4170-1  
Fax : +66(0)2 943 2419  
online@unilamp.co.th  
www.unilamp.co.th