





LUXBEAT

■ ACCENT LINEAR LIGHT



■ LuxBeat




■ LuxBeat Underwater



■ LuxBeat XL + Accessory Kit for Surface Mount




■ LuxBeat XL + Accessory Kit for Pendant



■ LuxBeat XL + Accessory Kit for Wall Mount



■ LuxBeat XL + Accessory Kit for Ceiling Recessed









■ LuxBeat XL + Accessory Kit for Wall Recessed



■ LuxBeat XL + Accessory Kit for Inground

NEWLY Added LuxBeat

- ACCENT LINEAR LIGHT
- UNDERWATER SPOTLIGHT
- INGROUND UPLIGHTER



LuxBeat and **LuxBeat XL** are a range of miniature-sized linear accent luminaires with flexible and fixed mounting applications. The patented optical system emits homogenous light regardless of the viewing direction. The wide range of mounting accessories allows trouble-free installation. The innovative mounting channels combine secure luminaire attachment and cable management in one.



www.unilamp.co.th/en/p/luxbeat

LuxBeat Features:


- IP67 for indoor/ outdoor application.
- No heat sink required. Extra heat sink is recommended if Ta is over 40°C
- High quality silicone extrusion housing.
- Dot-free linear and homogeneous lighting performance.
- Very flexible top-bend style in ultra-thin appearance.
- Infield cutting and assembly (if needed).
- Simple mounted on clean surface by 3M tape (supplied with the strip).
- Or stainless steel mounting bracket (available as accessory).
- Perfect color consistency and uniformity.
- High light efficacy.
- No dark angle emitting part on both ends.

LuxBeat XL/ LuxBeat Underwater Features:

- IP67/ IP68 for indoor/ outdoor application.
- Supplied with IP67 cable feeding in-out for continuous installation.
- High quality silicone extrusion housing.
- Dot-free linear and homogeneous lighting performance (diffused version).
- Various mounting options.
- Choices of diffused light or with optical lens.
- Perfect color consistency and uniformity.
- High light efficacy.
- No dark angle emitting part on both ends (diffused version).
- Custom length is available (prepared by the factory).

Notice:

- Use suitable power supply with at least 20% power reserve.
- Maximum continuous installation length is 5m. Longer installation runs will result in electrical overload and excessive heat.
- Check correct polarity before power on.
- For outdoor application, make sure that proper silicone gluing is in place in order to maintain IP67 rating.
- Minimal bending diameter 30 mm. smaller bending diameter causes damage to the LED module.
- Installation, dismantling and repairs must be carried out by qualified electrician.



****Colors is available for LuxBeat inground only.**


┆
LuxBeat XL

┆
LuxBeat Underwater

┆
LuxBeat

• MODULAR SOLUTIONS

LuxBeat XL + Accessory Kit




▪ LuxBeat XL + Accessory kit for Surface Mount




8111/ 8112/ 8113
LuxBeat XL

OR



8111/ 8112/ 8113
LuxBeat XL

+



AUN-MOT-0014-XX/
AUN-MOT-0015-XX/
AUN-MOT-0016-XX
Surface mount
profile

▪ LuxBeat XL + Accessory kit for Wall Mount




8111/ 8112/ 8113
LuxBeat XL

OR



8111/ 8112/ 8113
LuxBeat XL

+




AUN-MOT-0014-XX/
AUN-MOT-0015-XX/
AUN-MOT-0016-XX
Surface mount
profile

+



AUN-MOT-0001-XX
Pole mount adaptor,
spigot Ø76mm.




▪ LuxBeat XL + Accessory kit for Pendant




8111/ 8112/ 8113
LuxBeat XL

OR



8111/ 8112/ 8113
LuxBeat XL

+



AUN-MOT-0014-XX/
AUN-MOT-0015-XX/
AUN-MOT-0016-XX
Surface mount
profile

+



ATR-MOT-0001-00
Suspension kit, with
mounting loop

OR




ATR-MOT-0002-00
Suspension kit, with
mounting post

▪ LuxBeat XL + Accessory kit for Ceiling Recessed




8111/ 8112/ 8113
LuxBeat XL

OR




8111/ 8112/ 8113
LuxBeat XL

+



AUN-RCH-0013-XX/
AUN-RCH-0014-XX/
AUN-RCH-0015-XX/
Recessed ceiling
mounting profile



■ **LuxBeat XL + Accessory kit**
for Wall Recessed



8111/ 8112/ 8113
LuxBeat XL

OR



8111/ 8112/ 8113
LuxBeat XL

+




AUN-RCH-0026-XX/ AUN-RCH-0029-XX/
AUN-RCH-0027-XX/ AUN-RCH-0030-XX/
AUN-RCH-0028-XX/ AUN-RCH-0031-XX/
Plasterboard wall
mounting profile

OR



Wall niche mounting
profile



■ **LuxBeat XL + Accessory kit**
for Inground



9073
LuxBeat XL
Ground Recess

OR



9074
LuxBeat XL
Ground Recess

+



AUN-RCH-0018-XX/
AUN-RCH-0020-XX
Recessed installation
housing, including
trim, pre-assembly
from factory



9073
LuxBeat XL
Ground Recess

OR




9074
LuxBeat XL
Ground Recess

+




AUN-RCH-0017-01/
AUN-RCH-0019-01
Recessed installation
housing, pre-assembly
from factory



LuxBeat



LuxBeat



LuxBeat

Application Type : Accent Linear Light


LuxBeat / 8101	
Luminaire Performance	
680 – 2030 lm/M	
7 – 14 W/M	
97 – 145 lm/W/M	
Beam Options	
Color Temperature	
3000K/ 4000K	
Controller	
Remote	
Input Options	
24Vdc	



Accessories			
	Power Cable Kit		Fixing Bracket
	IP68 Connector		CV Driver



LuxBeat XL 500/ LuxBeat XL 1000/ LuxBeat XL 2000

NEW!


Model	L	LT
OD-8111 LED	500	506
OD-8112 LED	1000	1006
OD-8113 LED	2000	2006



LuxBeat XL

Application Type : Accent Linear Light

LuxBeat XL 500 / 8111

LuxBeat XL 1000 / 8112

LuxBeat XL 2000 / 8113

Luminaire Performance

210 – 3920 lm/M

9 – 36 W

23 – 108 lm/W/M

Beam Options



Color Temperature

3000K/ RGBW

Controller

Remote

Input Options

24Vdc

Accessories



Input Cable



Aluminium Profile



Suspension Kit



Adjustable Bracket



Mounting Profile
for Ceiling
Recessed

Mounting Profile
for Wall Recessed


CV Driver



LuxBeat Underwater 500/ LuxBeat Underwater 1000/ LuxBeat Underwater 2000 NEW!



LuxBeat

Application Type : Underwater Spotlight

LuxBeat Underwater 500 / 8114
LuxBeat Underwater 1000 / 8115
LuxBeat Underwater 2000 / 8116

Luminaire Performance

390 – 1560 lm
7 – 28 W
55 lm/W/M

Beam Options



Color Temperature

3000 K

Controller

Remote

Input Options

24Vdc

Accessories



Input Cable



Pre-wired Cable



Mounting Clip



CV Driver






LuxBeat XL 500
Ground Recess

NEW!

LuxBeat XL 1000
Ground Recess

NEW!



LuxBeat XL

Application Type : Inground Uplighter

LuxBeat XL 500 – Ground Recess / 9073

LuxBeat XL 1000 – Ground Recess / 9074

Luminaire Performance

160 – 600 lm

9 – 18 W

17 – 33 lm/W/M

Beam Options



Color Temperature

3000K/ RGBW


Controller

Remote


Input Options

24Vdc


Accessories



Input Cable



Recessed
installation
housing



CV Driver

	Product Code	Luminaire Wattage	Beam	CCT	Luminaire Lumen	Efficacy	Controller	Ordering Code
							REMOTE	
LuxBeat	OD-8101							
		7 W/M	120°	3000 K 4000 K	680 lm/M 700 lm/M	97 lm/W/M 100 lm/W/M	• •	8101-0-2-467-00 8101-0-2-468-00
		14 W/M	120°	3000 K 4000 K	1930 lm/M 2030 lm/M	137 lm/W/M 145 lm/W/M	• •	8101-0-2-409-00 8101-0-2-410-00
LuxBeat XL	OD-8111							
		9 W	30°	3000 K	980 lm	108 lm/W/M	•	8111-C-2-269-00
		9 W	120°	3000 K RGBW	440 lm 210 lm	48 lm/W/M 23 lm/W	• •	8111-0-2-269-00 8111-0-2-399-00
	OD-8112							
		18 W	30°	3000 K	1960 lm	108 lm/W/M	•	8112-C-2-269-00
		18 W	120°	3000 K RGBW	880 lm 430 lm	48 lm/W/M 23 lm/W	• •	8112-0-2-269-00 8112-0-2-399-00
LuxBeat Underwater	OD-8113							
		36 W	30°	3000 K	3920 lm	108 lm/W/M	•	8113-C-2-269-00
		36 W	120°	3000 K RGBW	1760 lm 860 lm	48 lm/W/M 23 lm/W	• •	8113-0-2-269-00 8113-0-2-399-00
	OD-8114							
		7 W	120°	3000 K	390 lm	55 lm/W/M	•	8114-0-2-269-00
	OD-8115							
LuxBeat XL Ground Recess		14 W	120°	3000 K	780 lm	55 lm/W/M	•	8115-0-2-269-00
	OD-8116							
		28 W	120°	3000 K	1560 lm	55 lm/W/M	•	8116-0-2-269-00
	OD-9073							
		9 W	100°	3000 K RGBW	300 lm 160 lm	33 lm/W 17 lm/W	• •	9073-0-2-269-XX 9073-0-2-399-XX
LuxBeat XL Ground Recess	OD-9074							
		18 W	100°	3000 K RGBW	600 lm 320 lm	33 lm/W 17 lm/W	• •	9074-0-2-269-XX 9074-0-2-399-XX

▸ Ideal Application



Unilamp Co., Ltd.

461 Ramintra Road, Kannayao, Bangkok 10230 Thailand

Tel : +66[0]2 943 2420-1, +66[0]2 946 4170-1

Fax : +66[0]2 943 2419

unilamp@unilamp.co.th | online@unilamp.co.th



www.unilamp.co.th