

 **Unilamp**

# Garden

LIGHTING SERIES



## TELESCOPE PROJECTOR

### Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium, Extruded Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module.
- On-Off / 1-10V / DALI control gear.
- Installation must be carried out according to the enclosed product manual.



### Accessories

	Honey comb louver		Earth spike		Tree strap		Pole clamp		Mounting arm		Anchor bolt
	Aluminium pole		Steel pole		IP68 Connector		Pre-wired cable				

## ALPHA PROJECTOR



Micro ALPHA Round  
CC / CV Spotlight



Micro ALPHA Round Snoot  
CC / CV Spotlight

### Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module.
- Available with integrated driver or remote driver.
- Weather proof TPE grommet.
- Installation must be carried out according to the enclosed product manual.

### Accessories

	Softening filter		Honey comb louver		Earth spike		Tree strap
	CV Driver		CC Driver		IP68 Connector		



## KUBIK PROJECTOR

### Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module.
- Available with integrated driver or remote driver.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.



Mini Slim KUBIK  
Ground Mount / Ground Mount CVDA



Micro KUBIK  
CC / CV Ground Mount

### Accessories

	Softening lens		Honey comb louver		Glare shield ring		Glare shield cap		Barn door		Earth spike
	Tree strap		Pole clamp		Pole array		Wall array		Aluminium pole		Steel pole
	Anchor bolt		RGBW DALI Driver		CC Driver		CV Driver		IP68 Connector		






## CAP

## BOLLARD

## Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium and Extruded Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- Bollard pre-wired with outdoor cable.
- Installation must be carried out according to the enclosed product manual.

## Accessories



## Medium CAP Version.

\* Pole is not included and has to be ordered separately.


## CASA

## BOLLARD/ WALL SURFACE MOUNT/ CEILING MOUNT

## Specification

- Designed, Manufactured and Tested according to IEC 60598.
- LM6 Die Cast Aluminium / Extruded Aluminium Housing.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Polycarbonate diffuser.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 terminal block.
- Weather proof TPE grommet.
- Installation must be carried out according to the enclosed product manual.

## Accessories



CASA Bollard

CASA Short Bollard



## CYCLOPS


## BOLLARD

## Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium and Extruded Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Polycarbonate protective cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.

## Accessories






Mini AGAR  
Wall Light



AGAR  
Wall Light

Mini AGAR  
Bollard



AGAR  
Bollard

## AGAR

### BOLLARD/ WALL SURFACE MOUNT

#### Specification

- Designed, Manufactured and tested according to IEC 60598
- LM6 Die Cast Aluminium and Extruded Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Polycarbonate protective cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 Terminal block.
- Weather proof TPE grommet.
- Bollard pre-wired with outdoor cable.
- Installation must be carried out according to the enclosed product manual.

#### Accessories



Anchor bolt



IP68 Connector



## CHARISMA

### BOLLARD

#### Specification

- Designed, Manufactured and Tested according to IEC 60598.
- LM6 Die Cast Aluminium and Extruded Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Polycarbonate diffuser.
- Post-cured silicone gasket.
- High quality LED module and driver.
- Anodized aluminium louver.
- GFR PA6.6 Terminal block.
- Weather proof TPE grommet.
- Bollard pre-wired with outdoor cable.
- Installation work has to be carried on according to the enclosed product manual.

#### Accessories




Anchor bolt



IP68 Connector



Mini CHARISMA  
Square



Mini CHARISMA  
Round



Mini SKUNA1  
Downlight



Mini SKUNA2  
Downlight

SKUNA  
Short Bollard



SKUNA  
Bollard

## SKUNA

### BOLLARD/ WALL SURFACE MOUNT

#### Specification

- Designed, Manufactured and Tested according to IEC 60598.
- LM6 Die Cast Aluminium / Extruded Aluminium Housing.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 terminal block.
- Weather proof TPE grommet.
- Installation must be carried out according to the enclosed product manual.

#### Accessories




CV Driver



Anchor Bolt





## BICEPS

### BOLLARD

#### Specification

- Designed, Manufactured and Tested according to IEC 60598.
- LM6 Die Cast Aluminium and Extruded Aluminium housing.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 terminal block.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.

#### Accessories



Anchor bolt



IP68 Connector



## Mini PILLAR

### BOLLARDS

#### Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium, Cast Aluminium and Extruded Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- PMMA diffusing lens.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 terminal block.
- Installation must be carried out according to the enclosed product manual.

#### Accessories



Anchor Bolt



## SE7EN

### BOLLARD

#### Specification

- Designed, Manufactured and Tested according to IEC 60598.
- LM6 die-cast aluminium and extruded aluminium housing.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.

#### Accessories



IP68 Connector





AYERS  
1X180



Mini AYERS  
1X180

Beam Options:



## AYERS

### INGROUND

#### Specification

- Designed, Manufactured and Tested according to IEC 60598.
- High strength cast aluminium and extruded aluminium housing.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module.
- Available with integrated driver or remote driver.
- GFR PA6.6 terminal block.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.

#### Accessories



CC Driver



IP68 Connector



## BUZZ


### ON-GROUND

#### Specification

- Designed, Manufactured and tested according to IEC 60598.
- LM6 Die Cast Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Polycarbonate protective cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.



Mini BUZZ4  
Ground Washer



BUZZ4  
Ground Washer

Beam Options:



#### Accessories



Anchor bolt



IP68 Connector



Mini NELLA



Mini NELLA  
Spike

## NELLA

### PROJECTOR

#### Specification

- Designed, Manufactured and Tested according to IEC 60598.
- LM6 Die Cast Aluminium body and components.
- Stainless steel screws.
- Luminaire top coated with UV stabilized polyester powder and cured.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.

#### Accessories




Glare Shield Cap





## CETUS PROJECTOR



### Specification



- Designed, manufactured and tested according to IEC 60598.
- LM6 Die cast aluminum body and components.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 terminal block.
- Installation must be carried out according to the enclosed product manual.

### Accessories



	Honey comb louver		Glare shield Cap		Snoot		Tree strap		Earth spike		Mounthing base
	Pole clamp		Pole mount adaptor		Mounting arm		Outrigger arm		Short pole		Anchor bolt
	Aluminum pole		Steel pole		IP68 Connector		Surge protection				

## MODULAR SOLUTIONS

### ■ CETUS + Accessory kit for pole mount solutions




### ■ CETUS + Accessory kit for pole attached solutions




## MODULAR SOLUTIONS





### ■ CETUS + Accessory kit for pole mount solutions



\*Pole mounting arm for 1-3 projector is available for installation on 1 or 2 sides





### ■ CETUS + Accessory kit for ground mount solutions



### ■ CETUS + Accessory kit for ground mount solutions

### ■ CETUS + Accessory kit for wall mount solutions





### ■ CETUS + Accessory kit for ground mount solutions





■ Application Reference







## CONTACT US

Unilamp Co.,Ltd.

[unilamp@unilamp.co.th](mailto:unilamp@unilamp.co.th)  
[www.unilamp.co.th](http://www.unilamp.co.th)

### THAILAND

#### Sale office and showroom:

461 Ramintra Road, Kannayao,  
Bangkok 10230 Thailand  
Tel: +66(0)2 943 2420-1, +66(0)2 946 4170-1  
Fax: +66(0)2 943 2419

#### Warehouse:

2519 Ladprao 79, Ladprao Road,  
Wangthonglang, Bangkok 10310 Thailand  
Tel: +66(0)84 427 7235

#### Factory 1:

25 Moo 11 Tambol Bansang,  
Amper Bansang, Prachinburi 25150 Thailand  
Tel: +66(0)89 900 5904

#### Factory 2:

29 Moo 3 Tambol Bansang,  
Amper Bansang, Prachinburi 25150 Thailand  
Tel: +66(0)85 133 5904

### UNITED ARAB EMIRATES (FZE)

#### Sale support office:

Sharjah Airport International Freezone,  
Sharjah, United Arab Emirates

Contact Person: Mr. Afham Adam  
Tel: +971 54 796 1356  
E-mail : [afham@unilamp.co.th](mailto:afham@unilamp.co.th)

### SAARC

#### Sale support office:

A-31/S-1 [Block A],  
Dilshard Garden, Delhi 110095  
Contact Person: Mr. Deepanshu Biswas  
Tel: +91 9871135550  
E-mail : [deepanshu\\_b@unilamp.co.th](mailto:deepanshu_b@unilamp.co.th)

### INDONESIA

#### Sale support office:

Grand Slipi Tower Lt. 9, Unit G, Jl. Letjen, S.Parman Kav.  
22-24, Palmerah, Jakarta Barat, Indonesia 11480  
Contact person: Nattacha Triamornlert  
E-mail : [nattacha@unilamp.co.th](mailto:nattacha@unilamp.co.th)

### PHILIPPINES

#### Sale support office:

353 M.L. Quezon St. Lower Bicutan Taguig City,  
Philippines

Contact Person: Ms. Sherwin Sajul  
Tel: +63 916 445 7515  
E-mail : [sherwin@unilamp.co.th](mailto:sherwin@unilamp.co.th)

### NORWAY

#### Associate Company:

UNILAMP NORDEN AS  
INDUSTRIVEIEN 11 1481 HAGAN, NORWAY  
Tel: +47 67 49 47 70  
Tel: +47 22 32 50 22  
Website : <https://www.unilamp.no>



  
[www.unilamp.co.th](http://www.unilamp.co.th)



  
[@Unilamp](https://www.line.me/@Unilamp)



  
[UnilampThailand](https://www.facebook.com/UnilampThailand)



  
[unilamp.thailand](https://www.instagram.com/unilamp.thailand)



  
[unilamp](https://www.linkedin.com/company/unilamp)



  
[Unilamp Thailand](https://www.youtube.com/UnilampThailand)



  
[UnilampLighting](https://www.twitter.com/UnilampLighting)

DUE TO THE CONSTANCY OF PRODUCT DEVELOPMENT,  
WE RESERVE THE RIGHT TO ALTER ALL SPECIFICATION  
WITHOUT PRIOR NOTICE.

PLEASE CHECK PRODUCT AVAILABILITY AND UPDATES  
ON OUR WEBSITE OR SALES REPRESENTATIVE.

Last update on 04/09/2024