

 **Unilamp****NEW!**

VELA

 Accent Light**WINDOWLIGHT**

VELA



www.unilamp.co.th/en/p/vela

■ WINDOWLIGHT



VELA is a uniquely designed accent light suitable for a multitude of use cases. The use of computer aided optical design and the latest generation of LED result in class leading luminaire performance. The integrated DALI2 control gear simplifies project planning and product installation. Perfect beam alignment is effortless with the built in two axis adjustment of **VELA**. LED control gear and light engine is upgrade- and replaceable.




Specification

- Built in DALI control gear
- Housing adjustable in two axis $\pm 5^\circ$
- Ambient temperature 50°C


Available Color

- | | |
|------------------|--|
| Black | [replace the last 2 digits of ordering code with 01] |
| Graphite | [replace the last 2 digits of ordering code with 02] |
| Dark Grey | [replace the last 2 digits of ordering code with 03] |
| Aluminium Silver | [replace the last 2 digits of ordering code with 04] |
| White | [replace the last 2 digits of ordering code with 06] |
| Wooden Brown | [replace the last 2 digits of ordering code with 07] |



VELA

VELA
ACCENT LIGHT



VELA

NEW!

WINDOWLIGHT

VELA - Accent Light/ 9910

Luminaire Performance

420 - 440 lm

10 W

42 - 44 lm/W

Beam Options

Sharp Elliptical H



Color Temperature

2700/ 3000K/ 4000K

Controller

On-off/ DALI

Accessories



Pre-wired cable

VELA

Product Code	Product Name	Luminaire Wattage	Beam	CCT	Luminaire Lumen	Controller
 OD-9910	VELA	10 W	Sharp Elliptical H	2700 K 3000 K 4000 K	420 - 440 lm	On-Off/ DALI



➤ Ideal Application



Unilamp Co., Ltd.

461 Ramintra Road, Kannayao, Bangkok 10230 Thailand

Tel : +66[0]2 943 2420-1, +66[0]2 946 4170-1

Fax : +66[0]2 943 2419

unilamp@unilamp.co.th | online@unilamp.co.th



www.unilamp.co.th