



## Galvanized Steel Pole



Anchor Bolt Kit for this pole  
Ordering Code: AUN-ACB-0008-00



Straight Cylindrical Hot-Dipped Galvanized Steel Pole Diameter 102 mm. with Spigot Size 76 mm.

Type	Ordering Code	H1 [mm.]
16A Fuse + Prepared for dimming	AUN-POL-0012-XX	4000
	AUN-POL-0013-XX	5000
	AUN-POL-0029-XX	6000

### Available colors

Black	[replace the last 2 digits of ordering code with 01]
Graphite	[replace the last 2 digits of ordering code with 02]
Dark Grey	[replace the last 2 digits of ordering code with 03]
Aluminium Silver	[replace the last 2 digits of ordering code with 04]
White	[replace the last 2 digits of ordering code with 06]
Wooden Brown	[replace the last 2 digits of ordering code with 07]

### For Luminaires :




ATHLON Area Light  
Single Sided /  
Double Sided



Small SIROCCO  
Area Light  
Single Sided /  
Double Sided



Mini ANDROMEDA  
Area Light  
Single Sided /  
Double Sided



Neo EQUINOX  
Pole Top Light  
Single Sided /  
Double Sided



NEOS Area Light  
Single Sided /  
Double Sided



STICK Direct  
Pole Top Light



NeoPLACE  
Double Headed



EPSYLON  
Double Headed




PRIMUS Clear  
Pole Top Light




NARA

### Customized Pole Mounting Options :

#### for Mega SONIC Pole Array :



#### for KUBIK Pole Array :



#### Pole Top Mount Solutions :



#### For Luminaires :



Mini  
SPACE



Medium  
SPACE




CANNON  
280



CANNON  
360

## Galvanized Steel Pole



Straight Cylindrical Hot-Dipped Galvanized Steel Pole Diameter 114 mm. with Spigot Size 76 mm.

Type	Ordering Code	H1 (mm.)
16A Fuse + Prepared for dimming	AUN-POL-0018-XX	6000

### Available colors

Black	[replace the last 2 digits of ordering code with 01]
Graphite	[replace the last 2 digits of ordering code with 02]
Dark Grey	[replace the last 2 digits of ordering code with 03]
Aluminium Silver	[replace the last 2 digits of ordering code with 04]
White	[replace the last 2 digits of ordering code with 06]
Wooden Brown	[replace the last 2 digits of ordering code with 07]

### For Luminaires :



**Mini ANDROMEDA**  
Area Light  
Single Sided /  
Double Sided




**Small SIROCCO**  
Area Light  
Single Sided /  
Double Sided



**Medium SIROCCO**  
Area Light  
Single Sided /  
Double Sided



**KRONOS**  
Area Light  
Single Sided /  
Double Sided



**Neo EQUINOX**  
Pole Top Light  
Single Sided /  
Double Sided



**NEOS**  
Area Light  
Single Sided /  
Double Sided



**STICK Direct**  
Pole Top Light




**PRIMUS Clear**  
Pole Top Light




**NARA**

Anchor Bolt Kit for this pole  
Ordering Code: AUN-ACB-0009-00




### Customized Pole Mounting Options :

#### Pole Top Mount Option :



## Galvanized Steel Pole



Straight Cylindrical Hot-Dipped Galvanized Steel Pole Diameter 140/114 mm. with Spigot Size 76 mm.

Type	Ordering Code	H1 (mm.)
16A Fuse + Prepared for dimming	AUN-POL-0019-XX	7000
	AUN-POL-0020-XX	8000

### Available colors

Black	[replace the last 2 digits of ordering code with 01]
Graphite	[replace the last 2 digits of ordering code with 02]
Dark Grey	[replace the last 2 digits of ordering code with 03]
Aluminium Silver	[replace the last 2 digits of ordering code with 04]
White	[replace the last 2 digits of ordering code with 06]
Wooden Brown	[replace the last 2 digits of ordering code with 07]

### For Luminaires :



**Mini ANDROMEDA**  
Area Light  
Single Sided /  
Double Sided



**Small SIROCCO**  
Area Light  
Single Sided /  
Double Sided



**Medium SIROCCO**  
Area Light  
Single Sided /  
Double Sided



**KRONOS**  
Area Light  
Single Sided /  
Double Sided



**NEOS**  
Area Light  
Single Sided /  
Double Sided




**PRIMUS Clear**  
Pole Top Light



**NARA**

Anchor Bolt Kit for this pole  
Ordering Code: AUN-ACB-0009-00



### Customized Pole Mounting Options :

#### Pole Top Mount Option :



• Pole



• Pole Top Mount Adaptor

#### For Luminaires :



**Mini SPACE**



**Medium SPACE**



**CANNON 280**



**CANNON 360**